


5
ton

ZEPPELIN ZBK 100

Wersje montażowe



Zeskanuj kod
i pobierz kartę na telefon

1

ZBK 100

2,5 t

5 t

Wysięg (m) i udźwignię (t)

	m		18,0	20,0	22,0	24,0	25,0	26,0	28,0	30,0	32,0	35,0	36,0	38,0	40,0	43,0	45,0	48,0	50,0	
L4	50,0 m	6,0 t	2,3-16,7	5,49	4,87	4,36	3,94	3,76	3,59	3,29	3,03	2,80	2,52	2,43	2,27	2,13	1,95	1,84	1,69	1,60
L3	45,0 m	6,0 t	2,3-17,8	5,92	5,25	4,70	4,25	4,06	3,88	3,56	3,28	3,04	2,73	2,64	2,47	2,32	2,12	2,00		
L2	40,0 m	6,0 t	2,3-18,9		5,62	5,42	4,56	4,36	4,16	3,82	3,52	3,27	2,94	2,84	2,66	2,50				
L1	35,0 m	6,0 t	2,3-19,2		5,73	5,14	4,66	4,44	4,25	3,90	3,60	3,34	3,00							

FF

FK 34


FK 38/FK 46

UW 46




FKF 38

FKF 46





UWF 46



TS 13

	FF	FK 38	FK 46	FKF 38	FKF 46
					
1303 1306 1312					
1	2,2	3,4	3,4	3,2	3,2
2	1	5,2	6,4	6,4	6,2
3		8,2	9,4	9,4	9,2
4	2	1	11,2	12,4	12,2
5		14,2	15,4	15,4	15,2
6	3	17,2	18,4	18,4	18,2
7		20,2	21,4	21,4	21,2
8	4	2	23,2	24,4	24,2
9		26,2	27,4	27,4	27,2
10	5	29,2	30,4	30,4	30,2
11		32,2	33,4	33,4	33,2
12	6	3	35,2	36,4	36,2
13		38,2	39,4	39,4	39,2

TS 16

	FF	FK 38/FK 46	UW 46	FKF 38/FKF 46	UWF 46
					
1603 1606 1612					
0	—	—	12,2	—	12,0
1	2,2	3,4	15,2	3,2	15,0
2	1	5,2	18,2	6,2	18,0
3		8,2	21,2	9,2	21,0
4	2	1	11,2	12,4	24,0
5		14,2	15,4	27,2	27,0
6	3	17,2	18,4	30,2	30,0
7		20,2	21,4	33,2	33,0
8	4	2	23,2	24,4	36,0
9		26,2	27,4	39,2	39,0
10	5	29,2	30,4	42,2	42,0
11		32,2	33,4	45,2	45,0
12	6	3	35,2	36,4	48,0
13		38,2	39,4	51,2	51,0
14	7	41,2	42,4	54,2	54,0
15		44,2	45,4	57,2	—
16	8	4	47,2	48,4	—